INDUSTRY LEADING CAPACITY*

meets proven performance & dependability

WALL OVENS

Sales Resource Guide

MAYTAG

WHAT'S **INSIDE** MATTERS™

*Among leading brand 27" and 30" wall ovens.

STRONG STYLE WITH IDEAL PERFORMANCE

FIT SYSTEM
LIMITED GUARANTEE*

We guarantee the fit, so you don't have to*

The FIT system is an industry-leading innovation that can help you close sales on Maytag brand 27" or 30" standard single and double wall ovens. Wall ovens featuring the FIT system are backed by our FIT System Limited Guarantee to fit in your customer's existing cabinet cutout of comparable width, or Maytag brand will provide up to $250 toward cabinet modification.*

Cover models: MEW7530AS, MMW9730AS & MEW9630AS

*The FIT System Limited Guarantee: If our 27" or 30" standard single and double wall ovens do not fit your existing cabinet cutout of a compatible width, contact us within 30 days of the purchase date and receive up to $250 toward the cost of cabinet modification (excludes new cabinet installations). Offer valid for qualified models (not valid for combination microwave wall ovens) purchased between 5/1/12–12/31/12. Visit maytag.com/fitsystemlimitedguarantee for complete details.

THE SPACE TO GET IT ALL DONE. THE POWER TO GET IT DONE FAST.

Built to cook everything from everyday meals to large family feasts, these new wall ovens meet and exceed your customers' pressing need for capacity and performance. Features like the 10-year limited parts warranty** on new models give them confidence in the power and dependability of Maytag brand. And they can feel even better knowing that new Maytag® wall ovens are designed, engineered and assembled in the U.S.A.

Key features

10 YEAR LIMITED PARTS WARRANTY
ELEMENTS

Visit maytag.com for warranty details.

FROM TENNESSEE TO YOU

ASSEMBLED IN TENNESSEE

FIT SYSTEM

INDUSTRY-LEADING CAPACITY†

- Cook everything from everyday meals to large family feasts
- These single and double ovens meet all of your customers' cooking needs (Learn more on page 4)

POWERFUL PERFORMANCE

- Power Preheat the oven in as little as 8 minutes†† (Learn more on page 6)
- Roast foods up to 30% faster than a standard oven with EvenAir™ true convection and Auto Conversion (Learn more on page 7)

RELIABILITY & INNOVATION

- No other brand has a more comprehensive warranty–The 10-year limited parts warranty** covers oven elements
- These wall ovens are proudly designed, engineered and assembled in the U.S.A.
- We guaranteed the fit so you don't have to!* The FIT system streamlines installation by adjusting to your customer's existing cutout (Learn more on page 8)

LOOK FOR THESE TAGS THROUGHOUT THE BOOK THAT GROUP PRODUCTS INTO THREE KEY SELLING CATEGORIES

PROMOTE

A great way to draw customers into the store, usually at an attractive price. Good value for the features offered.

SELL

The most popular features at a great value. This step-up product gives customers what they want.

MIX

The best featured product in the category customers are shopping for. Plus, there's added opportunity for attachment sales to bring them back for more.

Table of contents

2 Product overview

4 Capacity

6 Power Preheat & Precision Cooking™ system

7 EvenAir™ true convection & Auto Conversion

8 FIT system

10 Selling skills

11 10-Year Limited Parts Warranty**

12 Sales demonstrations & analogies

13 Product lineup

NOTE: Not all features are available on all models.
*The FIT System Limited Guarantee: If our 27" or 30" standard single and double wall ovens do not fit your existing cabinet cutout of a compatible width, contact us within 30 days of the purchase date and receive up to $250 toward the cost of cabinet modification (excludes new cabinet installations). Offer valid for qualified models (not valid for combination microwave wall ovens) purchased between 5/1/12–12/31/12. Visit maytag.com/fitsystemlimitedguarantee for complete details. **Visit maytag.com for warranty details. †Among leading brand 27" and 30" wall ovens. ††Single rack baking with Power Preheat option versus three-rack without option.

PRODUCT OVERVIEW

New wall ovens from the trusted leader in appliances

With industry-leading capacity* and the **innovative FIT system**, customers can finally get a wall oven that not only delivers the space to cook it all, but also fits in almost any space. Beyond the flexibility of Maytag® products, they'll also get powerful cooking performance.

INDUSTRY-LEADING CAPACITY*

Customers will be pleased with all of the space in their new Maytag® wall oven.

POWER PREHEAT

Preheats the oven in as little as 8 minutes!**

INNOVATIVE FIT SYSTEM

Ensures new Maytag® wall ovens will fit current cabinet cutouts.†

EVENAIR™ TRUE CONVECTION WITH AUTO CONVERSION

Roasts food up to 30% faster than a standard oven.

PRECISION COOKING™ SYSTEM

This cooking system combines Precise Preheat, Precise Bake and Precise Broil to provide dependable, even cooking.

HIDDEN BAKE ELEMENT

This element is located below the oven floor, creating a smooth oven surface so spills are easy to clean.

FROM TENNESSEE TO YOU

ASSEMBLED IN TENNESSEE

Model: MEW7627AS

NOTE: Not all features are available on all models.
*Among leading brand 27" and 30" wall ovens. **Single rack baking with Power Preheat option versus three-rack without option. †Available on 27" and 30" double and single wall ovens. See product specifications for minimum and maximum installation dimensions. Fits cabinet cutouts from 26-15/16" to 29-7/16" for 27" and 30" single wall ovens. Fits cabinet cutouts from 48-7/8" to 52-3/16" for 27" and 30" double ovens.

Designed with

DURABILITY IN MIND

New Maytag® wall ovens are built strong from the ground up to stay looking and feeling like new even after repeated use. Customers can count on these dependable features being built into their wall oven purchase.

NEW!

HEAVY-DUTY ROLL-OUT RACK

Heavy-duty roll-out racks feature full-extension glides on ball bearings that slide out smoothly for easy access to large meals. Available on convection models only.

10 YEAR LIMITED PARTS WARRANTY
ELEMENTS

Visit maytag.com for warranty details.

GUARANTEED TO ENDURE

No other brand offers a more comprehensive warranty! This warranty on the oven elements†† ensures long-lasting performance.

HEAVY-DUTY OVEN RACKS

These racks are 30% stronger than previous racks and support up to 32 lbs.

2X LIFE HINGES‡

Hinges are tested to twice the normal life expectancy to help ensure dependability.

PANORAMIC VIEW OVEN WINDOW

Keep an eye on what's cooking with 66% more oven viewing area compared to previous Maytag® models. Plus, the flat interior of the door is a breeze to clean.



††Visit maytag.com for warranty details. ‡Twice the life testing based on average use. ‡‡Compared to previous Maytag® models.

INDUSTRY LEADING

No other brand delivers more space*

From everyday meals to large family feasts, customers can count on Maytag brand to deliver the maximum capacity they need. Increased rack size, reduced door depth and improved airflow help optimize capacity. Read on to see all of the improvements made so customers can get the most space out of their new oven.

CAPACITY IS A TOP PURCHASE DRIVER FOR OVEN CUSTOMERS!

Customers want capacity more than anything else when they are in the market for a new wall oven, so be sure to show them how Maytag® ovens maximize space.

MEW7530AS

30"

27" MODEL WITH 4.3 CU. FT. CAPACITY ALSO AVAILABLE

HOW WE DID IT

1. NEWLY DESIGNED CONTROL PANEL
These new controls offer all of the same great features as before, but were redesigned to offer more interior oven space.

NOTE: Not all features are available on all models.
*Among leading brand 27" and 30" wall ovens.

CAPACITY*

MMW9730AS



30"

AVAILABLE ONLY IN A 30" WIDTH

MEW9630AS

30"

27" MODEL WITH 8.6 TOTAL CU. FT. ALSO AVAILABLE

2. FLAT DOOR DESIGN
By making the door flush with the exterior, we gain space and enhance cleanability.

3. ADDITIONAL RACK POSITIONS
Usable capacity was enhanced by adding different configurations for rack placement.

4. HIDDEN BAKE ELEMENT
This element is located below the oven floor, to give extra room for racks and make cleanup easy.

5. NEW AND IMPROVED INSULATION
Thanks to thinner, more efficient insulation, Maytag® wall ovens gain extra interior space along the walls and oven floor.

MAYTAG BRAND'S MOST

Maytag brand is bringing the heat!

This new lineup features Maytag brand's most powerful wall ovens ever!* These models deliver an extra 250 watts of power on thermal ovens and extra 900 watts of power on convection models compared to competitors' ovens.

PowerPreheat

Preheat up to 25% faster**

Ovens with Power Preheat combine the power of bake, broil and convection elements and/or fan to **preheat the oven in as little as 8 minutes**. Compare that to the 15–20 minutes of some competitors!

HOW IT WORKS

1. Power Preheat automatically begins when the Convection Bake option is selected. Temperature defaults to 350°F unless otherwise specified.
2. Bake, broil and convention elements alternate usage to quickly heat the oven.
3. EvenAir™ true convection uses a fan to circulate heated air to further speed up preheating.

Power Preheat is only available on EvenAir™ true convection models. This feature is not available when the Bake setting is selected.

Precision Cooking™ system

This cooking system combines Precise Preheat, Precise Bake and Precise Broil to provide dependable, even cooking throughout the oven for exceptional results and optimal performance.

PRECISE PREHEAT

Unlike some competitors that use timer-based systems, we preheat the oven based on the actual temperature selected—not a preset time—for accuracy and better results.

PRECISE BAKE

Heat is evenly distributed throughout the oven, consistently cooking items for flavorful results.

PRECISE BROIL

Provides accurate broiling results and optimal browning every time.

NOTE: Not all features are available on all models.
*Among leading brand 27" and 30" wall ovens. **Single rack baking with Power Preheat option versus three-rack without option.

POWERFUL WALL OVENS*

Roast foods up to 30% faster with EvenAir™ true convection and Auto Conversion

With convection, your customers will be able to roast foods up to 30% faster than a standard oven, while getting uniform browning and outstanding baking performance.

Plus, Auto Conversion converts standard temperatures to their convection equivalents, making sure your customers' legendary family recipes come out perfect.

Available on:
Single wall ovens: MEW9527A, MEW9530A
Double wall ovens: MEW9627A, MEW9630A
Combination wall oven: MMW9730A

HOW IT WORKS

1. Three elements, one at the floor of the oven, one on top and a third element around the fan, heat the oven for more even heat distribution.
2. The fan in the back of the oven **distributes hot air in four directions** (top, bottom and both sides) to fully surround food. The fan's innovative X-shaped baffle distributes hot air more effectively than the previous design.

The third element and updated fan design are exclusive to the EvenAir™ true convection system.

Taking convection to the next level of performance

Maytag® brand took the tried and true convection system and infused it with even more cooking power! See the chart below to see how the EvenAir™ true convection system ranks against the competition.

	The Maytag® Advantage	Brand A
Industry-leading power	Yes—Nearly 9,000 watts of total power	No
2,500-watt convection element	Yes	No
2,800-watt bake element	Yes	No
3,600-watt broil element	Yes	No
X-shaped baffle	Yes	No

WE GUARANTEE THE FIT, SO YOU DON'T HAVE TO*

Maytag® wall ovens adapt for an easy fit!

The innovative FIT system streamlines wall oven replacement and ensures new Maytag® wall ovens will fit existing cutouts of compatible widths.** In fact, wall ovens with the FIT system are backed by the FIT System Limited Guarantee to fit in your customer's existing cutout of compatible width, or Maytag brand will provide up to $250 toward cabinet modification.*

SINGLE OVENS



CONSUMER UNMET NEED

New ovens do not easily fit in existing cabinet cutouts

Customers replacing their current wall oven often run into issues trying to find a model that perfectly fits in the space of their old cutout. Wall oven customers need a solution to this industry-wide dilemma.

QUALIFYING QUESTIONS

- **Are you replacing a wall oven?**
- **How would you like to take the guesswork out of fitting a new wall oven to your current cutout?**

DOUBLE OVENS



SOLUTION

FIT system

This smart system uses multiple adjustable installation positions and trim options to allow for easy replacement of many competitive 27" and 30" wall ovens. Now customers that were not satisfied with their previous wall oven's performance can get a new, innovative oven without all of the guesswork.

VISIT THE WEBSITE & READ ABOUT THE FIT SYSTEM LIMITED GUARANTEE*

Scan with your smart phone or visit maytag.com/fitsystemlimitedguarantee to learn more.

NOTE: Not included with combination wall ovens.

*The FIT System Limited Guarantee: If our 27" or 30" standard single and double wall ovens do not fit your existing cabinet cutout of a compatible width, contact us within 30 days of the purchase date and receive up to $250 toward the cost of cabinet modification (excludes new cabinet installations). Offer valid for qualified models (not valid for combination microwave wall ovens) purchased between 5/1/12–12/31/12. Visit maytag.com/fitsystemlimitedguarantee for complete details. **Available on 27" and 30" double and single wall ovens. See product specifications for minimum and maximum installation dimensions. Fits cabinet cutouts from 26-15/16" to 29-7/16" for 27" and 30" single wall ovens. Fits cabinet cutouts from 48-7/8" to 52-3/16" for 27" and 30" double ovens.

INSTALLATION MADE EASY

How It Works

Two different types of adjustable “feet” make it possible for one 27" or 30" oven to fit in a short, medium or tall cutout. The chart below shows what is needed for each installation.

SINGLE WALL OVENS

Cutout Height	Front Feet	Back Feet	Additional Trim	Minimum Cutout Height	Maximum Cutout Height
Short Cutout	Not Needed	Not Needed	Not Needed	26-15/16"	27-11/16"
Medium Cutout	Horizontal Position	Horizontal Position	Not Needed	27-5/8"	28-5/8"
Tall Cutout	Vertical Position	Vertical Position	Trim piece included. White and Black models get Black trim. Stainless Steel models get Stainless Steel trim.	28-11/16"	29-7/16"

DOUBLE WALL OVENS

Cutout Height	Front Feet	Back Feet	Additional Trim	Minimum Cutout Height	Maximum Cutout Height
Short Cutout	Not Needed	Not Needed	Not Needed	48-7/8"	50-7/16"
Medium Cutout	Medium Position	Horizontal Position	Not Needed	50-1/2"	51-1/8"
Tall Cutout	Tall Position 	Vertical Position	Trim piece included. White and Black models get Black trim. Stainless Steel models get Stainless Steel trim.	51-3/16"	52-3/16"

Did you know?

Most 27" and 30" single and double wall ovens manufactured today can be simply and easily replaced with a Maytag® wall oven. The FIT system successfully adapts to the cutout sizes of all these brands.

SINGLE OVEN CUTOUTS



TALL: LG
MEDIUM: Whirlpool, Maytag, KitchenAid, GE 27" Appliances, Kenmore, Frigidaire, Bosch & Electrolux Icon
SHORT: GE 30" Appliances, Kenmore, Electrolux, Frigidaire & Dacor

FITS CUTOUTS HEIGHTS FROM 26-15/16" TO 29-7/16"

DOUBLE OVEN CUTOUTS



TALL: GE 30" Appliances & LG
MEDIUM: Bosch, Electrolux Icon & Dacor
SHORT: Whirlpool, Maytag, KitchenAid, GE 30" Appliances, Kenmore, Electrolux, Frigidaire & Dacor

FITS CUTOUT HEIGHTS FROM 48-7/8" TO 52-3/16"

NOTE: Be sure to remind customers that it’s still important to measure their current cabinet cutout before purchasing a new wall oven.

VISIT THE WEBSITE & SEE HOW IT WORKS
Scan with your smart phone or visit maytag.com/fitsystem to learn more.

FIT SYSTEM

NOTE: Combination wall ovens do not come with the FIT system, but it may be purchased separately. The FIT System Limited Guarantee does not cover combination wall ovens.

STRONG SELLING SKILLS

Step customers up to the next level of performance

Customers have always turned to Maytag brand for powerful performance and dependability. Sell them on your base wall oven model, but show them all the features they gain by stepping up to a convection model. These dependable features can be found on both single and double oven convection models.

4.3" LCD SCREEN
This streamlined screen uses menu-driven functionality so users can choose a variety of innovative cooking options.

EVENAIR™ TRUE CONVECTION WITH AUTO CONVERSION
Roasts food up to 30% faster than a standard oven.

POWER PREHEAT
Preheats the oven in as little as 8 minutes!*

IMPROVED LIGHTING
Added lighting improves visibility and helps customers check on food as they cook without opening the door and losing heat.

RACK POSITIONS
Thanks to improved capacity, these models have 6 rack positions. That's one more than previous models!

HEAVY-DUTY ROLL-OUT RACK
These racks feature full-extension glides on ball bearings that slide out smoothly for easy access to large meals.

ASK

- **Do you wish your current oven could cook food or preheat faster?**
- **How often do you cook large meals or need the convenience of different rack positionings?**

TELL

For a minimal increase in cost, you can get the power and speed of convection cooking in a wall oven loaded with a variety of other dependable features. Not only that, you get the durability of a heavy-duty roll-out rack that easily moves large items in and out of the oven cavity.

SELL

Available on models

MEW95327A
MEW9530A
MEW9627A
MEW9630A

NOTE: Not all features are available on all models.
*Single rack baking with Power Preheat option versus three-rack without option.

DESIGNED FOR LONG-LASTING PERFORMANCE

10-year limited parts warranty*

No other brand offers a more comprehensive limited warranty! Only Maytag brand offers a decade of limited warranty coverage on select parts. The 10-year limited parts warranty on the oven elements* ensures long-lasting performance that your customers can count on.

	The Maytag® Advantage	Brand A	Brand B
1-year limited warranty	Yes	Yes	Yes
10-year limited parts warranty*	Yes	No	No

DESIGNED WITH DURABILITY IN MIND

Even parts not covered by the 10-year limited parts warranty* were made to last the long run. The 2X Life hinges** and convection motor are tested to twice the normal life expectancy. Have customers open up the doors to test out the hinges and remind them that they will last for at least 20 years.

10 YEAR LIMITED PARTS WARRANTY ELEMENTS

OVEN ELEMENTS COVERED: Bake, broil and convection elements.

Visit maytag.com for warranty details.

FROM TENNESSEE TO YOU

ASSEMBLED IN TENNESSEE

Scan with your smart phone† for behind-the-scenes tours of durable parts turning into powerful Maytag brand appliances right here in the U.S.A.

*Visit maytag.com for warranty details. **Twice the life testing based on average use. †http://www.youtube.com/watch?v=y34Vbd1b7fo

SALES DEMOS & ANALOGIES

PowerPreheat



FIT SYSTEM

Capacity Demo

Not all wall ovens are equal! This demo helps your customers visualize the additional space of our wall ovens.

1. Have your customer attempt to place a competitor's rack inside one of our 30" width wall ovens. They won't be able to, because the rack is too small and will simply fall to the floor of our larger oven.
2. Explain that Maytag brand's capacity means they can cook everything from everyday meals to holiday feasts quickly and with ease.

Power Preheat Sales Analogy

Some competitor's wall ovens take 15–20 minutes to preheat. That's as long as a TV show without commercials! With these new models from Maytag brand, customers can Power Preheat the oven in as little as 8 minutes* and cook a batch of pizza rolls before some ovens are hot enough to start cooking.

NOTE: Available only on models with convection cooking.

FIT System Sales Analogy

With clothing sales, a customer can try on an outfit before bringing it home. Unfortunately, there's no fitting room for wall ovens. That's why Maytag brand developed the FIT system for wall oven replacement. This innovation lets customers get what they need on the first try and prevents you from dealing with unwanted returns and lost sales.

WHAT DOES IT MEAN?

Quickly and easily decode Maytag brand wall oven model numbers with this useful chart.

MEW7627AS

M — BRAND CLASSIFICATION
M = Maytag®

76 — FEATURE SET
Ranges from 75–97. The higher the number, the more features.

A — YEAR OF LAUNCH
W = 2010
A = 2012

EW — COOKING PLATFORM
EW = Electric wall oven
MW = Microwave wall oven combination

27 — WIDTH
27 = 27" models
30 = 30" models

S — COLOR
W = White
B = Black
S = Stainless Steel

NOTE: Not all features are available on all models.
*Single rack baking with Power Preheat option versus three-rack without option.

WALL OVEN STANDARD FEATURES

- 10-year limited parts warranty* on the oven elements
- FIT system (not included on MMW9730A)
- Industry-leading capacity**
- Self-cleaning system with adjustable levels
- Panoramic view oven window
- Precision Cooking™ system with Precise Preheat, Precise Bake and Precise Broil
- Hidden bake element
- Variable broil
- Control lockout
- Reliable electronic oven controls
- Keep Warm™ setting
- Delay Bake
- 2X Life hinges†
- Two heavy-duty oven racks
- Color options: W/B/S

NEW MODELS

SINGLE WALL OVENS

MEW7527A
27" 4.3 cu. ft. capacity

MEW7530A
30" 5.0 cu. ft. capacity

- Undercounter installation flexibility

MEW9527A
27" 4.3 cu. ft. capacity

MEW9530A
30" 5.0 cu. ft. capacity

- Undercounter installation flexibility

PLUS

+ EvenAir™ true convection with Auto Conversion

+ Power Preheat

+ 4.3" LCD screen

+ Heavy-duty roll-out third rack

DOUBLE WALL OVENS

MEW7627A
27" 8.6 cu. ft. total capacity

MEW7630A
30" 10.0 cu. ft. total capacity

MEW9627A
27" 8.6 cu. ft. total capacity

MEW9630A
30" 10.0 cu. ft. total capacity

PLUS

+ EvenAir™ true convection with Auto Conversion

+ Power Preheat

+ 4.3" LCD screen

+ Heavy-duty roll-out third rack

COMBINATION WALL OVENS

MMW9730A
30" 5.0 cu. ft. capacity oven with 1.4 cu. ft. capacity microwave

- EvenAir™ true convection with Auto Conversion
- Power Preheat
- 4.3" LCD screen
- Heavy-duty roll-out third rack

PLUS

+ Sensor microwave with drop down door

NOTE: The FIT system is not included with this model.

SINGLE WALL OVEN DIMENSIONS

27" oven dimensions: 28-3/4" H x 27" W x 23-1/4" D (without handles)
27" oven cutout dimensions: 26-15/16"–29-7/16" H x 25-1/2" W x 24" D

30" oven dimensions: 28-3/4" H x 30" W x 23-1/4" D (without handles)
30" oven cutout dimensions: 26-15/16"–29-7/16" H x 28-1/2" W x 24" D

DOUBLE WALL OVEN DIMENSIONS

27" oven dimensions: 51-3/16" H x 27" W x 23-1/4" D (without handles)
27" oven cutout dimensions: 48-7/8"–52-3/16" H x 25-1/2" W x 24" D

30" oven dimensions: 51-3/16" H x 30" W x 23-1/4" D (without handles)
30" oven cutout dimensions: 48-7/8"–52-3/16" H x 28-1/2" W x 24" D

COMBINATION WALL OVEN DIMENSIONS

30" oven dimensions: 42-9/16" H x 30" W x 23-1/4" D (without handles)

30" oven cutout dimensions: 41"–41-1/2" H x 28-1/2" W x 24" D

PROMOTE

W
White

PROMOTE

B
Black

MIX

S
Stainless Steel

10 YEAR LIMITED PARTS WARRANTY
ELEMENTS

Visit maytag.com for warranty details.

FROM TENNESSEE TO YOU

ASSEMBLED IN TENNESSEE

PROMOTE WHITE OR BLACK MODELS AND MIX CUSTOMERS UP INTO STAINLESS STEEL.
Items with a plus (+) indicate a step-up feature

NOTE: Dimensions are for planning purposes only. For complete details see installation instructions packed with product. Specifications subject to change without notice.
*Visit maytag.com for warranty details. **Among leading brand 27" and 30" wall ovens. †Twice the life testing based on average use.

COMPLETE THE SUITE

Cooktops and ventilation hoods are the perfect match to Maytag® wall oven sales. Encourage your customers to complete their purchase with complementary appliances so they're always cooking with the power of Maytag® appliances.

Bold type indicates step-up feature

ELECTRIC COOKTOP MODELS	MEC4430W	MEC4536W	MEC7430W	MEC7536W	MEC7630W	MEC7636W
Size	30"	36"	30"	36"	30"	36"
Surface	Porcelain-enamel	Porcelain-enamel	**Smoothtop glass-ceramic**	Smoothtop glass-ceramic	Smoothtop glass-ceramic	Smoothtop glass-ceramic
FEATURES						
12" XL, 2,700-watt Power Cook radiant element			**RR**	RR		
12"/9"/6", 2,700/2,000/1,000-watt Triple-Choice™ radiant element					**RR**	**RR**
10", 3,200-watt Speed Heat™ radiant element			**LR**	LR	LR	LR
6", 1,500-watt coil element	LF, RR	LF, RR				
8", 2,350-watt coil element	LR, RF	LR, RF				
6", 1,200-watt radiant element			**LF, RF**	LF, RF, **Center**	LF, RF	LF, RF, **Center**
Dishwasher safe removable control knobs	•	•	•	•	•	•
Element-in-Use/Hot surface indicator lights	•	•	•	•	•	•
Better Built component			**Shatter-resistant cooktop**	Shatter-resistant cooktop	Shatter-resistant cooktop	Shatter-resistant cooktop
SPECIFICATIONS						
Overall Dimensions (Height x Width x Depth)	3-1/4" x 30" x 21"	3-1/4" x 36" x 21"	3-3/4" x 30" x 21-1/2"	3-3/4" x 35-5/16" x 21-1/2"	3-3/4" x 30" x 21-1/2"	3-3/4" x 35-5/16" x 21-1/2"
Cutout Dimensions (Opening Width x Depth)	28-5/16" x 19-13/16"	34-7/8" x 19-13/16"	29-1/16" x 20-3/8"	34-9/16" x 20-3/8"	29-1/16" x 20-3/8"	34-9/16" x 20-3/8"
Volts (Amps) required	240/208 (40)	240/208 (40)	240/208 (40)	240/208 (37.5)	240/208 (40)	240/208 (37.5)
Color options	W/B	W/B/C	W/B/S	W/B/S	B/S	B/S

GAS COOKTOP MODELS	MGC4430BD	MGC4436BD	MGC7430W	MGC7536W	MGC7630W	MGC7636W
Size	30"	36"	30"	36"	30"	36"
Surface	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	**DuraClean™ tempered-glass**	DuraClean™ tempered-glass
Dishwasher-safe DuraClean™ cast-iron burner grates	•	•	**Continuous**	Continuous	Continuous	Continuous
FEATURES						
12,500 BTU Power Cook burner	RF	RF	LF	LR	RF	RF
15,000 BTU Power Cook burner			**RF**	RF	LF	LR
9,200 BTU burner	LF, LR, RR	LF, LR, RR	RR	LF	RR	LF
5,000 BTU Flex-Choice™ simmer burner			**LR**	Center	LR	Center
Removable control knobs	•	•	**Dishwasher safe**	Dishwasher safe	Dishwasher safe	Dishwasher safe
Better Built component	Cast-iron burner grates	Cast-iron burner grates	Cast-iron burner grates	Cast-iron burner grates	Cast-iron burner grates	Cast-iron burner grates
SPECIFICATIONS						
Overall Dimensions (Height x Width x Depth including handles)	3-13/16" x 29-1/2" x 21-1/2"	3-13/16" x 36" x 21-1/2"	3-13/16" x 29-1/2" x 21-1/2"	3-13/16" x 36" x 21"	3-13/16" x 30" x 21-1/2"	3-13/16" x 36" x 21"
Cutout Dimensions (Opening Width x Depth)	28-1/2" x 19-15/16"	28-1/2" x 19-15/16"	28-1/2" x 19-15/16"	34-1/2" x 19-15/16"	28-1/2" x 19-15/16"	34-1/2" x 19-15/16"
Volts (Amps) required	120 (10)	120 (10)	120 (10)	120 (10)	120 (10)	120 (15)
Color options	W/B	W/B	W/B/S	W/B/S	B	B

VENTILATION HOOD MODELS	UXT2030AY	UXT3030AY	UXT4030AY	UXT4230AY	UXT5230AY	UXT5530AA	UXD8630DY
Size	30"	30"	30"	30"	30"	30"	30"
Also available in 36"	UXT2036AY	UXT3036AY	UXT4036AY	UXT4236AY	UXT5236AY	UXT5536AA	UXD8636DY
Vertical venting	Exterior	Exterior		**Exterior and interior**	Exterior and interior	Exterior and interior	Exterior and interior
Horizontal venting		**Exterior**		**Exterior and interior**	Exterior and interior	Exterior and interior	Exterior and interior
Type	Top venting only	**Top and rear venting**	Recirculating only	**Convertible**	Convertible	Convertible	**Down-draft**
Round duct	7"			**7"**	7"	6"	6"
3-1/4" x 10" rectangular duct		•		•	•	•	
Dishwasher-safe grease filters	1	1		**1**	1	**2 (30") or 3 (36")**	2
Maximum exhaust (CFM)	190	190		**225**	**350**	**400**	**600**
Sones	up to 4.5	**up to 5.3**		**up to 7**	up to 7	**up to 8.2**	**up to 7.9**
Controls	2-speed, rocker switch	2-speed, rocker switch	2-speed, rocker switch	**Variable speed, rotary**	**3-speed, push-button**	3-speed, push-button	**Variable speed, electronic**
Lighting	75-watt On/Off incandescent	75-watt On/Off incandescent	75-watt On/Off incandescent	75-watt High/Low/Off incandescent	50-watt High/Med/Low halogen (bulbs included)	50-watt High/Med/Low halogen (bulbs included)	
SPECIFICATIONS							
30" Dimensions (Height x Width x Depth)	5" x 30" x 18-5/8"	5" x 30" x 18-5/8"	5" x 30" x 18-5/8"	5" x 30" x 18-5/8"	5" x 30" x 18-5/8"	9" x 30" x 19-7/10"	29" x 30" x 12-1/8"
36" Dimensions (Height x Width x Depth)	5" x 36" x 18-5/8"	5" x 36" x 18-5/8"	5" x 36" x 18-5/8"	5" x 36" x 18-5/8"	5" x 36" x 18-5/8"	9" x 36" x 19-7/10"	29" x 36" x 12-1/8"
30" Color options	W/B	W/B	W/T/B/S	W/T/B/S	W/B/S	S	S
36" Color options	W/B	W/B	W/B	W/B/S	W/B/S	S	S

W White **B** Black **T** Bisque **C** Chrome **S** Stainless Steel

learning & sales PERFORMANCE

®Registered trademark/™Trademark of Maytag Properties, LLC or its related companies. ©2012. All rights reserved. All other trademarks are owned by their respective companies. TRG12299A/B. Printed in the U.S.A. 3/12. Form No. MT110213